



## CARGO CONTROL



<b>A</b>		Tow Ropes	221
Anchor Points	224	Truck Winch Straps	221
Anchor Rings	224	<b>W</b>	
<b>B</b>		Wheel Chocks	227
Bungee Cord Hooks	217	Wheel Chocks	227
Bungee Cord Reels	217	Wheel Chocks	227
<b>C</b>		White Recovery Straps	221
Cable Type Load Binder Locks	226	Winch Bars	223
Cam Strap Four Packs	219		
Cam Straps	219		
Cargo Control Plan-O-Gram	216		
Cargo Nets	217		
Cargo Winch	223		
Corner Protector	224		
<b>E</b>			
Elastic Tie Down Strap	217		
EPDM Rubber Tarp Straps	218		
<b>F</b>			
Foldable Handle Ratchet Load Binders	225		
Fold-Over Handle Load Binders	226		
<b>H</b>			
H.D. Trailer & RV Wheel Chock	227		
Hand Winch - Dual Drive	222		
Hand Winches - General Purpose	222		
Hand Winches - Worm Gear	223		
Heavy Duty Recessed Anchor Rings	224		
Heavy Duty Thermoplastic Tarp Straps	218		
Heavy Duty Tow Ropes	221		
<b>L</b>			
Load Binder Locks	225		
Load Binder/Cable Puller Rack	216		
Load Tighteners	225		
Locking Ratchet Racks	226		
<b>M</b>			
Mud Flaps	227		
<b>R</b>			
Ratchet Straps	219		
Ratchet Straps	220		
Ratchet Straps with Flat Hooks	220		
Ratchet Straps with S-Hooks	219		
Ratchet Straps with S-Hooks	220		
Ratchet Straps with S-Hooks	220		
Ratchet Type Load Binders	225		
Recessed Anchor Rings	224		
Recoilless Load Binders	225		
<b>T</b>			
Tarp Strap Replacement Hook	218		





Your Trusted Source.



Cargo Control

## Dynaline Cargo Control Merchandisers

Dynaline offers merchandisers for almost every product. Merchandisers keep your stock organized, visible and easy to shop.



\*Retail hanging pegs not provided

### Cargo Control Plan-O-Gram

PART#	CONTENTS
01052	Cargo Control <b>Backdrop Only</b> , 48" x 48"
01052K	<b>Full Cargo Control Plan-o-gram.</b> Includes 01052 and products.

Full product breakdown on page 33



### Load Binder/Cable Puller Rack

PART#	CONTENTS
70098	Load Binder <b>Rack Only</b> , 24" wide x 31.8" high x 20.6" deep
70098K	<b>Full Cable Pullers &amp; Load Binder Rack.</b> Includes 24" x 24" Display Board and the products.

Full product breakdown on page 33

Sizes are approximate. Specifications subject to change without notice.

**Bungee Cord Reels**

Industrial quality, black polyester sheath with rubber core in a plastic reel.

PART#	DIAMETER	CORD LENGTH	LOAD RATED
11176	1/4"	216' (65.8 m)	55-66 lb
11177	5/16"	216' (65.8 m)	66-77 lb
11178	3/8"	200' (61 m)	77-88 lb



**Bungee Cord Hooks**

Fits 1/4", 5/16" and 3/8" Bungee Cords.

PART#	DESCRIPTION
11174	Fits 1/4", 5/16" and 3/8" Bungee Cords. Vinyl-coated wire hook. Wire diameter 4 mm. 10 per pkg.



**Cargo Nets**

Keeps smaller items stationary while driving. Elastic cords & plastic hooks.

PART#	SIZE	PKG. QTY.
12302	36" x 48"	1 ea.
12303	72" x 96" (Pick-Up)	1 ea.



Cargo Control



**Ratchet Straps**

- Keep cargo safe and secure during transport
- Designed for quick and easy operation
- Spring-loaded ratchet buckles tension and releases loads
- High quality, weather-resistant webbing with secure stitching.



**Elastic Rubber Tie Down Strap**

Red tie down straps with two molded hooks. 10 Pieces per polybag.

PART#	HOOKS SIZE	LENGTH	WIDTH
11290	2.4" X 1.7"	22"	0.40"



Sizes are approximate. Specifications subject to change without notice.





## Heavy Duty Thermoplastic Tarp Straps

These brand new Heavy Duty tarp straps are made from thermoplastic rubber and supplied with two crimped zinc plated S-hooks which means more load capacity.

PART#	LENGTH	CAPACITY	HOOKS	PKG. QTY.
11295	Heavy Duty 9"	90 lb	S Hooks	10/pkg.
11296	Heavy Duty 15"	90 lb	S Hooks	10/pkg.
11297	Heavy Duty 21"	90 lb	S Hooks	10/pkg.
11298	Heavy Duty 31"	90 lb	S Hooks	10/pkg.



## EPDM Rubber Tarp Straps

100% EPDM. (See chart below.) Recommended for commercial and industrial applications. Supplied with two zinc plated S-hooks assembled.

PART#	LENGTH	CAPACITY	QTY.
11191	9"	50 lb	10/pkg.
11192	15"	50 lb	10/pkg.
11193	21"	50 lb	10/pkg.
11194	31"	50 lb	10/pkg.
11299	31" adjustable	50 lb	10/pkg.

11191-11194



11299

### EPDM (Ethylene Propylene, EPM)

EPDM is a copolymer of ethylene and propylene. Ethylene-propylene-diene rubber (EPDM) is produced using a third monomer and is particularly useful when sealing phosphate-ester hydraulic fluids and in brake systems that use fluids having a glycol base.

#### Heat Resistance:

- ▶ Up to 300° F (149°C) (max. 400° F (204°C) in water and/or steam).

#### Cold Flexibility:

- ▶ Down to approximately -70°F (-57°C).

#### Chemical Resistance:

- ▶ Hot water and steam up to 300° F (149°C) with special compounds up to 400° F (204°C).
- ▶ Glycol based brake fluids up to 300° F (149°C).
- ▶ Many organic and inorganic acids.
- ▶ Cleaning agents, soda and potassium alkalis.
- ▶ Phosphate-ester based hydraulic fluids (HFD-R).
- ▶ Silicone oil and grease.
- ▶ Many polar solvents (alcohols, ketones, esters).
- ▶ Ozone, aging and weather resistant.

#### Not compatible with:

- ▶ Mineral oil products (oils, greases and fuels).

### Property EPDM

Abrasion Resistance	GE
Acid Resistance	G
Chemical Resistance	E
Cold Resistance	GE
Dynamic Properties	GE
Electrical Properties	G
Flame Resistance	P
Heat Resistance	E
Impermeability	G
Oil Resistance	P
Ozone Resistance	E
Set Resistance	GE
Tear Resistance	GE
Tensile Strength	GE
Water Resistance	E
Weather Resistance	E

E - Excellent F - Fair  
G - Good P - Poor

## Tarp Strap Replacement Hook

Clear zinc plated finish



PART#	DESCRIPTION	LENGTH	QTY.
66241	3/16" wire diameter S-Hook	3"	10/pkg.

**Reference Chart Available**

See end of catalogue



Sizes are approximate. Specifications subject to change without notice.



### Cam Straps

Designed for quick and easy operation. High quality, weather-resistant webbing with secure stitching. Vinyl-coated, heat-treated steel hooks.

- Die cast cam buckle.
- One piece per clamshell package.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
 <b>11182</b>	1" x 6'	400 lb	1,200 lb	Blue	Polyester
 <b>11185</b>	1" x 10'	400 lb	1,200 lb	Blue	Polyester



### Cam Strap Four Packs

Four Cam Straps in a clamshell package.



PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
<b>12331</b>	1" x 6'	250 lb	750 lb	Red	Polyester
<b>12332</b>	1" x 6'	250 lb	750 lb	Black	Polyester



### Ratchet Straps with S-Hooks (Vinyl-Coated)







Designed for quick and easy operation. High quality, weather-resistant webbing with secure stitching and steel ratchet.

- High Carbon Steel Ratchet.
- One piece per retail package.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
 <b>11183</b>	1" x 15'	400 lb	1,200 lb	Blue	Polyester
<b>12206</b>	1" x 15'	166 lb	500 lb	Red	Polypropylene
 <b>12207</b>	1" x 15'	166 lb	500 lb	Black	Polypropylene
<b>11184</b>	1" x 20'	1,000 lb	3,000 lb	Yellow	Polyester



### Ratchet Straps - Double "J" Hooks - Retail Package

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
<b>*12229</b>	1" x 6'	400lb	1,200lb	Yellow	Polyester
 <b>**11189</b>	1" x 15'	600 lb	1,800 lb	Blue	Polyester
 <b>12340</b>	1" x 15'	1,000 lb	3,000 lb	Yellow	Polyester
<b>11187</b>	1" x 20'	1,000 lb	3,000 lb	Yellow	Polyester
 <b>12341</b>	2" x 15'	1,300 lb	4,000 lb	Yellow	Polyester
<b>12342</b>	2" x 25'	1,300 lb	4,000 lb	Yellow	Polyester
 <b>12230</b>	1-1/2" x 15'	2,200 lb	6,600 lb	Yellow	Polyester
 <b>11186</b>	1-1/2" x 25'	2,200 lb	6,600 lb	Yellow	Polyester
 <b>11190</b>	2" x 27'	3,300 lb	10,000 lb	Yellow	Polyester
<b>12343</b>	2" x 30'	3,300 lb	10,000 lb	Yellow	Polyester
<b>12346</b>	2" x 20'	3,300 lb	10,000 lb	Yellow	Polyester



\* Pack of 2

\*\* Features 2D Rings

Sizes are approximate. Specifications subject to change without notice.





Cargo Control



### Ratchet Straps with Flat Hooks - Retail Package

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12353	2" x 20'	3,300 lb	10,000 lb	Yellow	Polyester
12354	2" x 25'	3,300 lb	10,000 lb	Yellow	Polyester
12344	2" x 30'	3,300 lb	10,000 lb	Yellow	Polyester



### Ratchet Straps with S-Hooks - Twin Packs

Two medium duty Ratchet Straps in a clamshell package. Vinyl-coated, heat-treated steel hooks.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12226	1" x 6'	400 lb	1,200 lb	Black	Polyester



### Ratchet Straps with S-Hooks - Four Packs

Four medium duty Ratchet Straps in a clamshell package. Vinyl-coated, heat-treated steel hooks.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12320	1" x 15'	400 lb	1,200 lb	Black	Polyester
12321	1" x 15'	400 lb	1,200 lb	Red	Polyester

### Ratchet Straps - Bulk

High quality polyester webbing, secure stitching, steel ratchet, heat treated steel hooks, EZ Release ratchet buckle with caps. Individually shrink wrapped.



PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING & HARDWARE MARKINGS	HOOK TYPE
11183B	1" x 15'	400 lb	1,200 lb	Blue	Yes	"S", vinyl coated
11184B	1" x 20'	1,000 lb	3,000 lb	Yellow	Yes	"S", vinyl coated
12229B	1" x 6'	400 lb	1,200 lb	Yellow	Yes	Double "J"
11187B	1" x 20'	1,000 lb	3,000 lb	Yellow	Yes	Double "J"
*11189B	1" x 15'	600 lb	1,800 lb	Blue	Yes	Double "J"
11190B	2" x 27'	3,300 lb	10,000 lb	Yellow	Yes	Double "J"
12343B	2" x 30'	3,300 lb	10,000 lb	Yellow	Yes	Double "J"
12344B	2" x 30'	3,300 lb	10,000 lb	Yellow	Yes	Flat Hook
12353B	2" x 20'	3,300 lb	10,000 lb	Yellow	Yes	Flat Hook
12354B	2" x 25'	3,300 lb	10,000 lb	Yellow	Yes	Flat Hook

\*11189B Features 2 "D" Rings

Sizes are approximate. Specifications subject to change without notice.

## White Recovery Straps

White polyester webbing. Reinforced loop ends.

PART#	SIZE	MAX. VEHICLE WEIGHT	MAX. BREAKING STRENGTH
50915	1" x 15'	3,750 lb (1,703 kg)	7,500 lb (3,504 kg)
50920	2" x 20'	9,000 lb (4,086 kg)	18,000 lb (8,172 kg)
50921	3" x 20'	13,500 lb (6,129 kg)	27,000 lb (12,258 kg)
50922	4" x 20'	17,500 lb (7,945 kg)	35,000 lb (15,890 kg)



## Heavy Duty Recovery Straps - 2 Ply

Heavy duty, 2 ply, weather resistant polyester, with reinforced loop ends. Load Capacity imprinted on webbing.

PART#	SIZE	MAX. VEHICLE WEIGHT	MAX. BREAKING STRENGTH
50935	2" x 20'	18,000 lb (8,165 kg)	36,000 lb (16,329 kg)
50936	4" x 20'	27,000 lb (12,247 kg)	54,000 lb (24,493 kg)
50937	4" x 30'	27,000 lb (12,247 kg)	54,000 lb (24,493 kg)
50938	6" x 20'	40,000 lb (18,144 kg)	80,000 lb (36,287 kg)
50939	6" x 30'	40,000 lb (18,144 kg)	80,000 lb (36,287 kg)



## Tow Ropes

**20 Feet** - White nylon with double end looped connection. Individually banded and shrink wrapped.

PART#	DIAMETER	MAX. VEHICLE WEIGHT	MAX. BREAKING STRENGTH
12200	3/4"	7,100 lb	14,200 lb
12201	1"	12,500 lb	25,000 lb
12203	1-1/4"	18,750 lb	37,500 lb



## Heavy Duty Tow Ropes

**30 Feet** - Heavy duty tow ropes. Double ended loop connection. 8 white nylon braided strands. Individually packaged.

PART#	DIAMETER	MAX. VEHICLE WEIGHT	MAX. BREAKING STRENGTH
12208	2-3/8"	56,000 lb	112,000 lb
12209	2-3/4"	75,000 lb	150,000 lb
12210	3-1/8"	97,500 lb	195,000 lb



## Truck Winch Straps

Strong, weather-resistant nylon webbing with secure stitching and a variety of steel hooks. To be used with our Lashing and Cargo Winches. Load Capacity imprinted on webbing.

PART#	SIZE	W.L.L.	MAX. LOAD	COLOUR	HOOK TYPE
12242	4" x 30'	5,400 lb	16,200 lb	Yellow	Flat Hook
12243	4" x 30'	5,400 lb	16,200 lb	Yellow	D-Ring
12247	4" x 40'	5,400 lb	16,200 lb	Yellow	D-Ring
12248	4" x 40'	5,400 lb	16,200 lb	Yellow	Flat Hook
12249	4" x 40'	5,400 lb	16,200 lb	Yellow	J-Hook



Sizes are approximate. Specifications subject to change without notice.







Hand-cranked manual winches multiply your strength, allowing you to pull a relatively heavy load against gravity. Larger models have a lower gear ratio to multiply your strength even more. Winches also have a ratchet to hold the load at any point so it doesn't slide back, allowing a normal person to move a load, using a crank about a foot long and simple gearing.

**\*Load Capacity is based on the direct line pull on the first layer of the line on the drum. Capacity decreases as the line builds up on the drum.**

**WARNING: WINCHES ARE NOT FOR THE MOVEMENT OF HUMANS OR FOR HOISTING LOADS OVER AREAS OCCUPIED BY HUMANS.**



11345

### Hand Winch - Dual Drive

Dual drive feature distributes the load evenly on the drum. To be used with steel cable. Winch drums are drilled for use with winch straps.

- Can be mounted vertically or horizontally.
- Solid carbon steel gears.
- Baked enamel painted finish.
- Supplied with grip handle & cable keeper.

PART#	LOAD CAPACITY*	GEAR RATIO
<b>11345</b>	3,700 lb	12 : 1



11300

### Hand Winches - General Purpose

- Solid carbon steel gears.
- Embossed frame for added strength.
- Baked black enamel painted finish.
- Supplied with grip handle and cable keeper.
- Two-way Ratchet.

PART#	DESCRIPTION	LOAD CAPACITY*	GEAR RATIO	REPAIR KIT	HANDLE
<b>11300</b>	1-speed	600 lb	3:01	---	---
<b>11301</b>	1-speed	850 lb	3:01	<b>11331</b>	<b>11321</b>
<b>11303</b>	1-speed	1,200 lb	4:01	<b>11333</b>	<b>11323</b>
<b>11304</b>	1-speed	1,400 lb	4:01	<b>11334</b>	<b>11324</b>
<b>11305</b>	2-speed	2,000 lb	4:1 / 10:1	<b>11335</b>	<b>11325</b>
<b>11306</b>	2-speed & hand brake	2,500 lb	5:1 / 12:1	<b>11336</b>	<b>11326</b>



11308

### Hand Winches - Auto Brake

Keeps loads automatically locked in position when handle is released. (Note: Minimum load required to activate brake mechanism).

- Baked black enamel painted finish.
- Supplied with grip handle & cable keeper.

PART#	LOAD CAPACITY*	GEAR RATIO	REPAIR KIT	HANDLE
<b>11308</b>	1,400 lb	4:01	<b>11338</b>	<b>11328</b>
<b>11309</b>	2,000 lb	12:1	---	---
<b>11310</b>	2,500 lb	12:1	---	---

Sizes are approximate. Specifications subject to change without notice.



### Hand Winches - Worm Gear

Self-braking mechanism prevents loads from accidentally running free. The load remains fixed in position when handle is released.

- Baked enamel painted finish.
- Supplied with cable keeper.
- Colour box packaging.



PART#	LOAD CAPACITY*	GEAR RATIO	DRUM TYPE
<b>11312</b>	2,000 lb	41:1	Single
<b>11314</b>	2,000 lb	41:1	Double

NEW

### Approximate cable and webbing lengths based on popular cable diameters.

PART#	DESCRIPTION	1/8"	3/16"	1/4"	5/16"	3/8"	LENGTH OF THE WEBBING
<b>11300</b>	Hand Winch, 600 lb	—	10M/32'	—	—	—	up to 5M
<b>11301</b>	Hand Winch, 800 lb	20M/65'	10M/32'	15M/49'	—	—	up to 5M
<b>11303</b>	Hand Winch, 1200 lb	25M/82'	20M/65'	20M/65'	—	—	up to 5M
<b>11304</b>	Hand Winch, 1400 lb	25M/82'	20M/65'	20M/65'	—	—	up to 5M
<b>11305</b>	Hand Winch, 2000 lb	—	20M/65'	20M/65'	15M/49'	10M/32'	up to 6M
<b>11306</b>	Hand Winch, 2500 lb	—	45M/150'	30M/98'	20M/65'	15M/49'	up to 6M
<b>11308</b>	Auto Brake Winch, 1400 lb	25M/82'	20M/65'	20M/65'	—	—	up to 6M
<b>11309</b>	Auto Brake Winch, 2000 lb	—	45M/150'	30M/98'	20M/65'	15M/49'	up to 6M
<b>11310</b>	Auto Brake Winch, 2500 lb	—	45M/150'	30M/98'	20M/65'	15M/49'	up to 6M
<b>11312</b>	Worm Gear Winch, 2000 lb	—	—	25M/65'	—	—	up to 6M
<b>11345</b>	Hand Winch Dual Drive, 3200 lb	—	45M/150'	30M/98'	20M/65'	15M/49'	up to 6M

### Winch Bar - Type A

PART#	DESCRIPTION
<b>12245</b>	Features knurled non-slip handle & carbon steel tip. 35" length.

### Winch Bar - Type C

PART#	DESCRIPTION
<b>12246</b>	Features knurled handle for safe grip. Hardened, ribbed nose to add strength and prevent slippage. 37" length.



### Cargo Winch - 3 Bar Type

Fits 4" winch straps.

PART#	DESCRIPTION	TYPE	W.L.L.
<b>12284</b>	Standard	Slide On	5,500 lb
<b>12285</b>	Low Profile	Weld-On	6,000 lb



Cargo Control



Sizes are approximate. Specifications subject to change without notice.

\*Load capacity is based on direct line pull on the first layer of line on the drum. Capacity decreases as line builds up on the drum.



### Corner Protector

White plastic corner protector. Individually labeled and wrapped in sealed plastic bag. Accommodates up to 4" straps.

PART#	SIZE	COLOUR
12235	4"	White



### Anchor Points

Fits most full-size and compact light trucks with or without a bed liner. Chrome plated finish.

PART#	DESCRIPTION	CAPACITY
11166	Fits most full-size and compact light trucks with or without a bed liner.	500lbs



### Anchor Rings

Zinc plated finish.


PART#	LENGTH	WIDTH	CAPACITY	PKG. QTY.
12250	1-3/8"	1"	900 lb	2
12253	2-9/16"	2-3/8"	12,000 lb	1



### Recessed Anchor Rings

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
 12251	3-1/2"	1,200 lb



### Heavy Duty Recessed Anchor Rings

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
 12252	4-7/16"	5,000 lb

Sizes are approximate. Specifications subject to change without notice.

**Foldable Handle Ratchet Load Binders**

Powder coated finish.

PART#	CHAIN	W.L.L.	U.L.L.
66190	5/16" – 3/8"	7,100 lb	21,300 lb
66191	3/8" – 1/2"	12,000 lb	36,000 lb
66192	1/2" – 5/8"	18,100	54,300 lb



**Recoilless Load Binders**

Forged steel. Painted finish.

PART#	CHAIN	W.L.L.	U.L.L.
66193	5/16" – 3/8"	5,400	19,000 lb
66194	3/8" – 1/2"	9,200 lb	33,000 lb



**Ratchet Type Load Binders**

Forged steel. Painted finish.

PART#	CHAIN	TAKE UP	W.L.L.	U.L.L.
66196	1/4" – 5/16"	5"	2,600 lb	7,800 lb
66197	5/16" – 3/8"	8"	5,400 lb	19,000 lb
66198	3/8" – 1/2"	8"	9,200 lb	33,000 lb
66199	1/2" – 5/8"	9"	13,000 lb	46,000 lb



**Load Tighteners**

Painted finish.

PART#	CHAIN	TAKE UP	HANDLE	W.L.L.	U.L.L.
66200	3/16" – 1/4"	3-3/8"	Dixie Style	375 lb	1,500 lb
66201	3/16" – 1/4"	3-3/8"	Dominion Style	250 lb	1,000 lb



**Load Binder Locks**

PART#	DESCRIPTION
66205	Eliminates load binder release. Two width adjustments. Orange comes with tabquick pin
66205-24	Display box + 24 pieces
66535	Replacement Pin, 5/16" x 2"



Cargo Control



Sizes are approximate. Specifications subject to change without notice.



Cargo Control



## Cable Type Load Binder Locks

Small diameter galvanized cable with aluminum stops and bracket. Lockable with padlock.

PART#	CABLE DIAMETER	LENGTH	PACKAGE QUANTITY
61205	1/8"	10"	400 pieces/carton
62205	3/16"	11"	300 pieces/carton



## Fold-Over Handle Load Binders


Forged folding handle and enclosed ratchet gear casement. Easy operation of finger pull selector allows for ratchet extension, take up and free spin rapid-ratcheting. Locking feature for long shank locks. WLL and chain grades stamped into handle and hooks.

PART#	CHAIN SIZE G7-G8-G10	TAKE UP	W.L.L.	U.L.L.	WEIGHT
DFX-38	3/8" - 5/16"	8"	8,800 lb	17,600 lb	12.9 lb
DFX-12	1/2" - 3/8"	8"	12,000 lb	24,000 lb	14.6 lb


## Locking Ratchet Racks

The best solution for ratchet binder storage.

- Available in two sizes: 24" and 48"
- Fast and easy to install
- Includes all hardware for installation
- Fits most ratchet binder sizes
- Laser cut frame for perfect fit
- Two piece construction
- Easy to lockup!
- Made of heavy gauge steel or aluminum
- Can be mounted on trailer bulkheads, trucks, headache boxes, and even in shops and garages.



\*padlock not included



PART#	MAX RATCHETS HELD	MATERIAL	OVERALL DIMENSIONS	WEIGHT
RRA-L11	11	Aluminum	47.5" x 5.5"	10 lb
RRS-L11	11	Steel	47.5" x 5.5"	19 lb
RRA-L7	7	Aluminum	23.5" x 5.5"	4 lb
RRS-L7	7	Steel	23.5" x 5.5"	10 lb



### HD Polyfoam Wheel Chock


This wheel chock is made of structural polyurethane foam. It is stronger, more durable, extremely light weight, odourless and resistant to oil and chemicals. It is bright orange in color for increased visibility. Strong, durable and lightweight. Featuring a molded carry handle for easy carrying and positioning.



PART#	SIZE
 <b>11987</b>	9-3/8" x 8" x 5-1/2"

### Wheel Chocks

Rubber wheel chock for trailers, cars or other small vehicles. Non-slip surface provides superior traction.

PART#	SIZE
 <b>11984</b>	7-1/2" x 6" x 3-3/4"
 <b>11985</b>	10-5/8" x 7" x 4-1/2"



### Wheel Chocks

Made from rubber compound with reinforced nylon fiber. Ideal for trailers and heavy loaded vehicles. Eyebolt for easy handling. To be used for vehicles under 20T.

PART#	SIZE
 <b>11986</b>	8" x 6" x 10"



### H.D. Trailer & RV Wheel Chock


Made of heavy duty steel construction with corrosion resistant zinc plating. 4 sets per master carton with dynaline shipping markings.

PART#	SIZE
<b>11989</b>	15" x 9.5" x 10"



### Wheel Chocks

Yellow plastic wheel chock. Comes packaged in colour box. 2 wheel chocks per box.

PART#	SIZE
 <b>11988</b>	8" x 5" x 4-1/4"



### Mud Flaps

Sold separately. Each made of heavy rubber.

PART#	SIZE	THICKNESS	MOUNTING HEAD
<b>11981</b>	24" x 24"	1/4"	5/16"
<b>11982</b>	24" x 30"	1/4"	5/16"
<b>11991</b>	24" x 24"	3/8"	7/16"
<b>11992</b>	24" x 30"	7/16"	7/16"
<b>11993</b>	24" x 36"	7/16"	7/16"



Sizes are approximate. Specifications subject to change without notice.

