





<b>A</b>		In-Line Adapter - 4 Way	153
Adjustable 3-Position Lunette Ring	149	Internal Thread Trailer Balls	134
Adjustable Ball Mounts	144	Internal Thread Trailer Balls	135
Adjustable Brackets	136	<b>J</b>	
Adjustable Double Ball Mount	144	Jack Rack	133
Adjustable Trailer Couplers	136	Jack Replacement Parts And Accessories	158
A-Frame Trailer Couplers	136	<b>L</b>	
<b>B</b>		Levelling Scissor Jacks	158
Aluminum Document Holder	149	Lifter Coupler Handle	136
Ball Mount Kits	141	Long Shank External Thread Trailer Balls	134
Ball Mount Rack	133	<b>M</b>	
Bent Pull Pin with Sleeve	138	Merchandiser - Trailer Balls	131
Blade 7 Way Tester With LEDs	153	Merchandiser - Trailer Couplers	131
Blade Plug -7 Way	151	Mount Fixed Lunette Ring	149
Breakaway Switch With Lanyard	153	Mounting Bracket	151
<b>C</b>		Mounting Lunette Ring - 4-Hole	148
Channel Trailer Couplers	136	Mud Flaps	159
Class 1 Ball Mounts	140	<b>P</b>	
Class 3 - 4 Ball Mounts	140	Pintle Hooks	148
Clevis Ball Mount	143	Pintle Mounts	146
Combination Pintle Hooks	148	Plastic Document Holders	149
Coupler Lock	137	Plug - 7 Way	151
Coupler Lock & Receiving Set	137	Plug - 7 Way	152
<b>D</b>		Plug 7 Way - Heavy Duty	152
Dual Hitch Extension	146	Power Jack	154
<b>E</b>		<b>R</b>	
External Thread Trailer Balls	134	Receiver Lock Pins	137
External Thread Trailer Balls	135	Receiver Pull Pins	138
Extra Lift External Thread Trailer Balls	134	Receiver Tubes	147
EZ-Clips	138	Reducer Sleeve Set	146
<b>F</b>		Round 6 Way Plug & Socket - 6 Way	150
Fifth Wheel King Pin Stabilizer	145	Round Plug & Socket - 4 Pole	150
Flat Connector - 2 Way	150	Round Shank - Reversible	142
Flat Connector - 4 Way	153	Round Shank - Triple	142
Flat Connector - 5 Pole	150	Round Tube Mount Jack	156
Flat Connectors - 5 Pole	150	Round Tube Swivel Bracket Mount Jacks	156
Flat Loop Trailer Connector - 4 Pole	150	RV Bumper Receiver Adapter	147
Flat Tester With LEDs - 4 & 5 Way	153	<b>S</b>	
Flat Tester With LEDs - 4 Way	153	Scissor Jack Drill Adapter	158
Forged Steel Ball Mounts	141	Shackle Ball Mounts	143
<b>H</b>		Side Wind with Wheel	155
H.D. Trailer & RV Wheel Chock	139	Side Wind without Wheel	155
HD Polyfoam Wheel Chock	159	Side Wind, Round Tube Mount	156
Heavy Duty External Thread Trailer Balls	134	Side Wind, Round Tube Mount	156
Hitch Adapters	147	Side Wind, Square Tube Mount	157
Hitch Box Extension	146	Socket - 7 Way	151
<b>I</b>		Socket - 7 Way	151





Socket 6 Way, 4 Way Plug With LEDs	152
Socket 7 Way - Heavy Duty	152
Socket 7 Way / 4-Way Plug Set	151
Socket 7 Way Led & 4-Way Plug With LEDs	152
Sockets - 7 Way	152
Spring Latches	139
Square Drop Shank	142
Square Drop Shank	144
Square Shanks	143
Square Straight Shank	142
Square Tube "Drop Legs" Jack	157
Square Tube "Drop Legs" Jacks	158
Square Tube Trailer Jack	157
Step Bumper Receiver	146
Super Duty Steel Ball Mounts	141
Swing-Way Jacks	154
<b>T</b>	
Top Wind with Wheel	155
Top Wind without Base or Wheel	155
Top Wind, Square Tube Mount	157
Trailer & Towing Plan-O-Gram	131
Trailer & Towing Plan-O-Grams	132
Trailer Ball Reducer Bushings	135
Trailer Ball Replacement Holder	135
Trailer Connector Adapters	153
Trailer Coupler Repair Kits	136
Trailer Dolly	145
Trailer Hitch Cover	145
Trailer Lock Kit	137
<b>W</b>	
Wheel Chocks	159
Wheel Chocks	159
Wheel Chocks	159
Wheel Locks	139





Your Trusted Source.

## Dynaline Trailer and Towing Merchandisers

Dynaline offers merchandisers for almost every product. Merchandisers keep your stock organized, visible and easy to shop.



Trailer and Towing



### Trailer Balls Merchandiser

PART#	CONTENTS
00208	Trailer Balls <b>Display Board Only</b> , 12" x 24"
00208K	<b>Full Trailer Balls Merchandiser.</b> Includes 00208 display board, 12 pegs (80004) and products.


**i** Full product breakdown on page 14



### Trailer & Towing Plan-O-Gram 72"

PART#	CONTENTS
00057	Trailer & Towing <b>Backdrop Only</b> , 48" x 72"
00057K	<b>Full Trailer &amp; Towing Plan-O-Gram.</b> Includes 00057 and content.

**i** Full product breakdown on page 16



### Trailer Couplers Merchandiser


PART#	CONTENTS
00215	Trailer Couplers <b>Display Board Only</b> , 24" x 24"
00215K	<b>Full Trailer Couplers Merchandiser.</b> Includes 00215 display board, 10 pegs (80004) and products.

**i** Full product breakdown on page 15

*Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.*







## Trailer & Towing Plan-O-Gram 48"

PART#	CONTENTS
01041	Trailer & Towing <b>Backdrop Only</b> , 48" x 48"
01041K	<b>Full Trailer &amp; Towing Plan-O-Gram</b> . Includes 01041 and contents listed below:

Full product breakdown on page 17

## Trailer & Towing 48" x 72" Plan-O-Gram

PART#	CONTENTS
01046	Trailer & Towing <b>Backdrop Only</b> , 48" x 72"
01046K	<b>Full Trailer &amp; Towing Plan-O-Gram</b> . Includes 01046 and contents listed below:

Full product breakdown on page 18



## Trailer & Towing 96" x 72" Plan-O-Gram

PART#	CONTENTS
01045	Trailer & Towing <b>Backdrop Only</b> , 96" x 72"
01045K	<b>Full Trailer &amp; Towing Plan-O-Gram</b> . Includes 01045 and contents listed below

Full product breakdown on page 19

*Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.*



**TOW-PRO**




**Trailer and Towing**

### Ball Mount Rack

PART#	CONTENTS
00210	Ball Mount <b>Rack Only</b> , 48" x 15" x 10"
00210K	<b>Full Ball Mount Rack Merchandiser.</b> Includes the display and an assortment of our most popular ball mounts and receivers.

**i** Full product breakdown on page 20



**TOW-PRO**

### Jack Rack

Jack Rack Merchandiser can be placed on floor or bottom of a gondola shelf. Fits regular 4 ft. Gondola Shelf, 18" deep.

PART#	CONTENTS
00637	Jack Stand <b>Bracket Only</b> , 1 piece display (bolts not included)
00637K	<b>Full Jack Rack Merchandiser.</b> Includes 00637 Jack Rack for Gondola shelf, labels and products below:

**i** Full product breakdown on page 20

*Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice*







Trailer and Towing



### Internal Thread Trailer Balls

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	GROSS LOAD RATING
11148	1-7/8"	3/4"	2"	2,000 lb
11149	2"	3/4"	2"	3,500 lb



### External Thread Trailer Balls

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	GROSS LOAD RATING
11147	1-7/8"	1"	2-5/8"	3,500 lb
11151	1-7/8"	3/4"	1-1/2"	2,000 lb
11152	2"	3/4"	2"	3,500 lb
11154	2"	1"	2-5/8"	5,000 lb
11155	2-5/16"	1-1/4"	2-5/8"	10,000 lb
11154	2-5/16"	1"	2-5/8"	5,000 lb
11155H	2-5/16"	1-1/4"	2-1/4"	14,000 lb
11155X	2-5/16"	1-1/4"	2"	12,000 lb
11258	2"	1-1/4"	2-1/4"	8,000 lb



### Long Shank External Thread Trailer Balls

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	GROSS LOAD RATING
11251	1-7/8"	3/4"	3-1/4"	2,000 lb
11252	2"	3/4"	3-1/4"	3,500 lb
11257	2"	1"	3-1/4"	5,000 lb
11263	2-5/16"	1"	3"	6,000 lb



### Extra Lift External Thread Trailer Balls

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	RISE HEIGHT	GROSS LOAD RATING
11253	2"	1"	2-5/8"	1"	3,500 lb
11255	2-5/16"	1-1/4"	2-1/4"	1"	7,000 lb



### Heavy Duty External Thread Trailer Balls

Solid steel. Black powder coated finish. Meets or exceeds VESC V-5 safety specifications.

PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	RISE HEIGHT	GROSS LOAD RATING
11259	2-5/16"	1-1/4"	2-5/8"	Standard	30,000 lb
11260	2-5/16"	1-1/4"	2-5/8"	1"	30,000 lb
11261	2-5/16"	1-1/4"	2-1/2"	2"	30,000 lb

*Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.*



### Internal Thread Trailer Balls - Retail Packaged

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.



PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	GROSS LOAD RATING
<b>11148P</b>	1-7/8"	3/4"	1-3/4"	2,000 lb
<b>11149P</b>	2"	3/4"	1-3/4"	3,500 lb



### External Thread Trailer Balls - Retail Packaged

Solid steel. Bright chrome plated finish. Meets or exceeds VESC V-5 safety specifications.



PART#	BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	GROSS LOAD RATING
<b>11147P</b>	1-7/8"	1"	2-5/8"	3,500 lb
<b>11151P</b>	1-7/8"	3/4"	1-1/2"	2,000 lb
<b>11152P</b>	2"	3/4"	1-1/2"	3,500 lb
<b>11153P</b>	2"	1"	2-5/8"	5,000 lb
<b>11154P</b>	2-5/16"	1"	2-5/8"	5,000 lb
<b>11155P</b>	2-5/16"	1-1/4"	2-5/8"	10,000 lb
<b>11155HP</b>	2-5/16"	1-1/4"	2-1/4"	14,000 lb
<b>11155XP</b>	2-5/16"	1-1/4"	2"	12,000 lb
<b>11251P</b>	1-7/8"	3/4"	3-1/4"	2,000 lb
<b>11252P</b>	2"	3/4"	3-1/4"	3,500 lb



### Trailer Ball Replacement Holder

Black plastic with generic label.

PART#	DESCRIPTION	FITS
<b>TB001</b>	Small - 6.89" x 2.28" x 2.52"	11148, 11149, 11151, 11152 (See previous page)
<b>TB002</b>	Large - 7.36" x 2.64" x 2.99"	11147, 11153, 11154, 11155, 11155H, 11155X (See previous page)



### Trailer Ball Reducer Bushings

Clamshell packaged.



PART#	DESCRIPTION
<b>11170</b>	Trailer Ball Reducer Bushing, 1" to 3/4"
<b>11171</b>	Trailer Ball Reducer Bushing, 1-1/4" to 1"



Trailer and Towing




Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.





Trailer and Towing




## Channel Trailer Couplers

Features large trigger-action latch designed for ease of operation. Zinc Plated Finish. Stamped steel construction. Easy to install. S.A.E. Class 2



PART#	BALL SIZE	CHANNEL SIZE	GROSS LOAD RATING
11156	1-7/8"	2"	2,000 lb
11157	1-7/8"	2-1/2"	2,000 lb
11158	1-7/8"	3"	2,000 lb
11159	2"	2-1/2"	3,500 lb
11159N	2"	2"	3,500 lb
11160	2"	3"	3,500 lb



## A-Frame Trailer Couplers

Features large trigger-action latch designed for ease of operation. Zinc plated finish. Stamped steel construction. Easy to install



PART#	BALL SIZE	TYPE	GROSS LOAD RATING
11161	2"	Standard	5,000 lb
11162	2-5/16"	Standard	10,000 lb



## Trailer Coupler Repair Kits

Repair kit available for both 1-7/8" and 2" ball channel couplers. Zinc plate finish.

PART#	DESCRIPTION
11163	For 1-7/8" Ball Channel Coupler
11164	For 2" Ball Channel Coupler



## Lifter Coupler Handle

For easy lifting of trailer tongue on small trailers (coupler not included).

PART#	DESCRIPTION
11870	Zinc plated with rubber coating on the handle. Handle attaches to coupler mounting bolts.



## Adjustable Trailer Couplers

Carbon steel.

PART#	BALL SIZE	TONGUE WEIGHT	MAX. GROSS LOAD	OVERALL DIMENSIONS
11864	2"	800 lb	8,000 lb	9" L x 5-1/2" W
11865	2-5/16"	1,400 lb	14,000 lb	9-1/4" L x 5-3/4" W



## Adjustable Brackets

Designed for adjustable couplers.


PART#	DESCRIPTION	HOLE DIAMETER	CAPACITY	OUTSIDE WIDTH	INSIDE WIDTH	OVERALL LENGTH
11866	12 hole (6 pairs)	5/8"	16,000 lb	3-5/8"	3"	11-1/2"
11867	8 hole (4 pairs)	5/8"	16,000 lb	3-5/8"	3"	7-1/2"

Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.




Trailer and Towing

## Coupler Lock

PART#	DESCRIPTION	DIAMETER	USABLE LENGTH
 <b>66276</b>	Fits all latch-type couplers. Two keys supplied. Yellow dichromate finish Clamshell packaging.	1/4"	7/8" (closed)



## Coupler Lock & Receiving Set

PART#	DESCRIPTION	RECEIVER DIAMETER	USABLE LENGTH	COUPLER LOCK	USABLE LENGTH
 <b>66277</b>	Fits most receiver hitches and latch-type couplers. Same key fits both locks. Chrome plated Clamshell packaging.	5/8"	2-3/4"	1/4"	1"



## Receiver Lock Pins

Two sizes to fit most receiver-type hitches. Two keys supplied. Bright chrome plated pin. Black enamel painted lock body.

PART#	DIAMETER	USABLE LENGTH	TENSILE STRENGTH
 <b>66274</b>	1/2"	2-1/2"	5,500 lb
 <b>66275</b>	5/8"	3"	8,800 lb



## Hitch Lock

Chrome plated, weather proof cap. Clamshell packaged.

PART#	TYPE	DIAMETER	USABLE LENGTH
<b>65091</b>	Sleeved Barrel	5/8" or 1/2"	2-1/2"



## Universal Trailer Coupler Locks


Bent at the perfect angle for easy removal. Made from oil tempered spring wire. Clear zinc plated finish. Features a locking bar with 6 locking positions.

PART#	DESCRIPTION
 <b>65085</b>	Light Duty. Fits 1-7/8", 2" and 2-5/16" Couplers.
 <b>65086</b>	Heavy Duty . Fits 1-7/8", 2" and 2-5/16" Couplers.



## Trailer Lock Kit

Spring loaded bolt can be locked in the open position. Zinc plated bolt housing and keeper. Turning lever allows the bolt to close under spring pressure.

PART#	DESCRIPTION	CONTENTS
 <b>65087</b>	Keyed alike	Light duty Universal Trailer Coupler Lock , Brass Coupler lock , Dual bent Pin Hitch lock (fits 5/8 and 1/2 receivers)



*Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice*





### Receiver Pull Pins


For securing ball mounts to receiver-type hitches. Supplied with EZ clip.



PART#	MATERIAL	DIAMETER	USABLE LENGTH	CLIP TYPE
66267	Stainless Steel - Won't Rust!	1/2"	3"	vinyl coated grip EZ clip
66268	Stainless Steel - Won't Rust!	5/8"	3"	vinyl coated grip EZ clip
102281	High carbon steel, zinc plated.	3/8"	3"	standard EZ clip
102282	High carbon steel, zinc plated.	1/2"	2-1/2"	standard EZ clip
66270	High carbon steel, zinc plated.	1/2"	3"	vinyl coated grip EZ clip
102284	High carbon steel, zinc plated.	1/2"	4"	standard EZ clip
102285	High carbon steel, zinc plated.	1/2"	5"	standard EZ clip
66270P	As 66270 above, carded.	1/2"	3"	vinyl coated grip EZ clip
66271	High carbon steel, zinc plated.	5/8"	3"	vinyl coated grip EZ clip
102287	High carbon steel, zinc plated.	5/8"	4"	standard EZ clip
102288	High carbon steel, zinc plated.	5/8"	5"	standard EZ clip
102289	High carbon steel, zinc plated.	3/4"	3-1/2"	standard EZ clip
102290	High carbon steel, zinc plated.	3/4"	4-1/2"	standard EZ clip
102291	High carbon steel, zinc plated.	3/4"	5"	standard EZ clip
66271P	As 66271 above, carded.	5/8"	3"	vinyl coated grip EZ clip
66272	High carbon steel, zinc plated.	5/8"	3-1/2"	vinyl coated grip EZ clip

### EZ-Clips


Bent at the perfect angle for easy removal. Made from oil tempered spring wire. Clear zinc plated finish.



PART#	DESCRIPTION	WIRE DIAMETER	PKG. QTY.
66265	Clear zinc plated finish.	0.148"	25
66266	Vinyl coated non-slip grip.	0.148"	10
96266	Vinyl coated non-slip grip.	0.148"	2 (Blister Pack)

### Bent Pull Pin with Sleeve

Chrome plated, weather proof cap. Clamshell packaged.



PART#	DESCRIPTION
66273	Fits 1/2" & 5/8", C-1018 mild steel material. Zinc plated finish comes with a red vinyl coated grip E-Z clip.



Trailer and Towing



Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.

**H.D. Trailer & RV Wheel Chock**

Made of heavy duty steel construction with corrosion resistant zinc plating. Fits tire spacing from 3" to 10". Includes a ratchet wrench (19mm) for easy installation and a padlock for extra security. Raised ribs on arms for increased traction.

PART#	SIZE
11989	15" x 9.5" x 10"



**Wheel Locks**

Adjustable slide-lock for wheels. Fits multiple tire sizes. Weather proof locks with 2 keys.

PART#	DESCRIPTION	PACKAGING
65088	Heavy Duty. Fits 7" to 11" width tires	Double blister



PART#	DESCRIPTION	PACKAGING
65089	Super Heavy Duty. Fits 7" to 11" width tires	Colour box



PART#	DESCRIPTION	PACKAGING
65090	Extreme Heavy Duty. Fits 13" to 16" Rims. Fits tires up to 28".Diameter X 9" width	Colour box



**Spring Latches**

Spring loaded bolt can be locked in the open position. Zinc plated bolt housing and keeper. Turning lever allows the bolt to close under spring pressure.

PART#	PIN DIAMETER	HANDLE TYPE	BRACKET LENGTH	BRACKET WIDTH	OVERALL LENGTH	MOUNTING HOLE DIAMETER
23057	7/16"	Loop	3-3/8"	1-1/2"	7-1/4"	3/16"
23058	1/2"	4" L shape	3-1/8"	1-3/4"	5-1/2"	1/4"



Trailer and Towing

Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice








### Class 1 Ball Mounts

Robotic welded, solid shank. Fits 1-1/4" Class 1 receiver tubes. Black powder coated finish.


PART#	FINISH	CLASS	TW (LB)	GTW (LB)	HOLE	DROP	RISE	LENGTH
 <b>11670</b>	Black	1	200 lb	2,000 lb	3/4"	1-1/4"	5/8"	6-3/4"
 <b>11671</b>	Black	1	200 lb	2,000 lb	3/4"	2-3/4"	2-1/8"	7"
 <b>11672</b>	Black	1	200 lb	2,000 lb	3/4"	3-1/2"	3"	9-1/2"



### Class 3-4 Ball Mounts


Robotic welded, hollow shank. Fits 2" receivers. Black powder coated & chrome finish.

PART#	FINISH	CLASS	TW (LB)	GTW (LB)	HOLE	DROP	RISE	LENGTH
 <b>11600</b>	Black	3	500 lb	5,000 lb	1"	Straight	Straight	10-1/2"
 <b>11601</b>	Black	4	600 lb	6,000 lb	1"	2"	3/4"	9"
 <b>11602</b>	Black	4	600 lb	6,000 lb	1"	4"	3"	9-1/4"
 <b>11603</b>	Black	4	600 lb	6,000 lb	1"	6"	5"	11"
 <b>11611</b>	Chrome	4	600 lb	6,000 lb	1"	2"	3/4"	8"
 <b>11612</b>	Chrome	4	600 lb	6,000 lb	1"	4"	3"	8-3/4"




#### DROP

The distance from the top of the shank to the top of the ball platform



#### RISE

The distance from the top of the shank to the top of the ball platform



#### LENGTH

The distance from the center of the ball hole to the center of the pin hole

Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.



**Class 4 Forged Steel Ball Mounts**

Solid one piece, forged ball mount. Fits 2" receivers. Black powder coated finish.

PART#	FINISH	CLASS	TW (LB)	GTW (LB)	HOLE	DROP	RISE	LENGTH
11586	Black	4	1,000 lb	10,000 lb	1-1/4"	2"	1"	8-3/8"
11587	Black	4	1,000 lb	10,000 lb	1-1/4"	4"	3"	9-1/2"
11588	Black	4	1,000 lb	10,000 lb	1-1/4"	6"	5"	11"



**Class 5 Forged Steel Ball Mounts**

Solid one piece forged ball mount. Fits 2" receivers. Black powder coated finish.

PART#	FINISH	CLASS	TW (LB)	GTW (LB)	HOLE	DROP	RISE	LENGTH
11686	Black	5	1,200 lb	12,000 lb	1-1/4"	2"	1"	8-3/8"
11687	Black	5	1,200 lb	12,000 lb	1-1/4"	4"	3"	9-1/2"
11688	Black	5	1,200 lb	12,000 lb	1-1/4"	6"	5"	11"



**Super Duty Steel Ball Mounts**

Robotic welded, hollow shank. Fits 2-1/2" receivers. Black powder coated finish.



PART#	FINISH	CLASS	TW (LB)	GTW (LB)	HOLE	DROP	RISE	LENGTH
11690	Black	4	1,000 lb	10,000 lb	1-1/4"	3"	1-1/2"	9-3/4"
11691	Black	4	1,000 lb	10,000 lb	1-1/4"	5"	3-1/2"	10"
11692	Black	4	1,000 lb	10,000 lb	1-1/4"	8"	6-1/2"	10-1/2"



**Ball Mount Kits**

Includes ball mount, welded trailer ball and pull pin. Fits 2" receivers.



PART#	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	DROP	RISE	LENGTH
11590	Black	4	1-7/8"	500 lb	5,000 lb	2"	1"	8-1/4"
11591	Black	4	2"	600 lb	6,000 lb	2"	1"	8-1/4"
11592	Black	4	2-5/16"	600 lb	6,000 lb	2"	1"	8-1/4"
11641	Chrome	4	2"	600 lb	6,000 lb	2"	1"	8-1/4"



*Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.*



### MULTIPLE BALL MOUNTS - WELDED BALLS

Solid round shank with welded balls. Fits standard 2" square receivers.  
No need to remove when changing - **just pull the pin and turn!**

#### Round Shank - Triple

Solid round shank with welded balls. Fits standard 2" square receivers.  
No need to remove when changing - just pull the pin and turn!



PART#	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	DROP	RISE	LENGTH
11648	Black	3-4	1-7/8"	350 lb	3500 lb	Straight	Straight	7-1/2"
			2"	600 lb	6,000 lb			
			2-5/16"	1000 lb	10,000 lb			

#### Round Shank - Reversible

Solid round shank with welded balls. Fits standard 2" square receivers. No need to remove when changing - just pull the pin and turn!



PART#	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	DROP	RISE	LENGTH
11647	Black	3	2"	600 lb	6000 lb	Straight	Straight	7-1/2"
			2-5/16"	1,000 lb	10,000 lb			

#### Square Straight Shank - Reversible

Straight solid shank with welded balls. Fits 2" receivers.



11604

PART#	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	DROP	RISE	LENGTH
11604	Black	3-4	1-7/8"	350 lb	3500 lb	Straight	Straight	7-1/4"
			2"	600 lb	6,000 lb			
11605	Black	3-4	2"	600 lb	6000 lb	Straight	Straight	7-1/4"
			2-5/16"	1,000 lb	10,000 lb			

#### Square Drop Shank - Reversible

Drop solid shank with welded balls. Fits 2" receivers.



11644

PART#	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	DROP	RISE	LENGTH
11644	Black	3	1-7/8"	350 lb	3500 lb	2"	3/4"	8"
			2"	600 lb	6,000 lb			
11645	Black	3	2"	600 lb	6000 lb	2"	3/4"	7-1/4"
			2-5/16"	1,000 lb	10,000 lb			

Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.



Trailer and Towing





## Square Shank - Triple Ball

Fits 2" receivers, 5/8" hole size.



PART#	DESCRIPTION	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	LENGTH
11607	Solid square shank with welded balls	Black	3-4	1-7/8"	350 lb	3500 lb	8"
				2"	600 lb	6000 lb	8"
				2-5/16"	1,000 lb	10,000 lb	8"
11652	Hollow shank with welded balls	Black	3-4	1-7/8" 2" 2-5/16"	200 lb 600 lb 1,000 lb	2,000 lb 6,000 lb 10,000 lb	8" 8" 6-3/4"



## Square Shank - Triple Ball with Tow Hook

Fits 2" receivers, 5/8" hole size. Hook load rating capacity 7,500 lbs"



PART#	DESCRIPTION	FINISH	CLASS	BALL	TW (LB)	GTW (LB)	LENGTH
11606	Solid square shank with welded balls & tow hook	Black	3-4	1-7/8"	350 lb	3,500 lb	8"
				2"	600 lb	6,000 lb	8"
				2-5/16"	1,000 lb	10,000 lb	8"



## Clevis Ball Mount

Hollow shank. Can be used as a standard ball mount.



PART#	FINISH	TW (LB)	GTW (LB)	TUBE	HOLE	LENGTH
11579	Black	600 lb	6,000 lb	Straight	1"	10"



## Shackle (Tow Strap) Ball Mount

For use with recovery straps on pickups and ATVs. Black powder coated finish with zinc plated shackle. Fits 2" receivers.



PART#	FINISH	TW (LB)	GTW (LB)	OVERALL LENGTH	SHANK TYPE	SHACKLE DIAMETER
11693	Black	600 lb	6,000 lb	9-3/8"	Hollow	5/8"
11694	Black	1000 lb	10,000 lb	10"	Solid	3/4"



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.



### ADJUSTABLE BALL MOUNTS

Black powder coated finish. Perfect for use on tow trailers of various coupler heights. Can be used in the rise or drop position as needed. Two pieces, comes with pull pins & clips.

#### Adjustable Ball Mounts

Made of Aluminum material. 10,000 lb GTW capacity. 8" drop/rise. 2" aluminum shank, fits 2" receiver. Comes with two trailer balls. Chrome plated finish. Includes two 5/8" pin locks (with 2 keys)

PART#	BALL	TW (LB)	GTW (LB)
11654	2"	800 lb	8,000 lb
	2-5/16"	1,000 lb	10,000 lb

#### Adjustable Triple Ball Mounts

High grade solid steel for maximum strength. 3-pin design for easy adjustment (pins & clips included). Straight to 6-1/2" maximum drop/rise. 2" x 2" solid shank. Meets S.A.E. J684/V-5.

PART#	CLASS	BALL	TW (LB)	GTW (LB)
11650	3-4	1-7/8"	600 lb	6,000 lb
		2"	1,000 lb	10,000 lb
		2-5/16"	1,000 lb	10,000 lb

#### Adjustable Ball Mounts (Single Platform)

Black powder coated finish. Perfect for use on tow trailers of various coupler heights. Can be used in the rise or drop position as needed. Fits 2" receiver. Trailer hole size is 1". Pull pin & clip are included.

PART#	FINISH	CLASS	TW (LB)	GTW (LB)	LENGTH	ADJUSTMENT
11595	Black	3	600 lb	6,000 lb	12-1/2"	2" to 7-3/4" drop, up to 6-1/2" rise

#### Square Drop Shank - Reversible

Drop solid shank with welded balls. Fits 2" receivers.

PART#	FINISH	TW (LB)	GTW (LB)	LENGTH (A)	DROP (B)	HEIGHT (C)
11561	Black	500 lb	5,000 lb	12-1/4"	5" - 9-1/2"	3-3/4" - 8-1/4"



#### Adjustable Double Ball Mount

Solid steel with 5/8" pin hole. 1-7/8" ball supports up to 2,000 lb; 2" ball supports up to 5,000 lb.

PART#	RECEIVER OPENING	LENGTH (A)	DROP (B)	HEIGHT (C)
11562	2"x2"	13-1/2"	4-4/5" - 10-4/5"	3-3/5" - 9-3/5"



Trailer and Towing



## Trailer Hitch Cover

Protects receiver tube from elements and debris. Includes rubber strap that can be fixed to receiver to prevent it from being lost.

PART#	FIT
11792	1-1/4" Receivers
11793	2" Receivers



## Fifth Wheel King Pin Stabilizer

Stabilizes motion of unhitched trailer or RV. Threaded hitch cap allows for height adjustment. Includes chain with inserts. Folds for storage. Durable steel construction. King Pin height adjusts from 35" to 55".

Adjusts from 35" to 55"



PART#	SUPPORT CAPACITY	FOOTPLATE DIMENSIONS	WEIGHT
11794	5,000 lb	5" x 5-1/2"	23 lb

## Trailer Dolly

Robust steel construction with black powder coated finish. Rust and corrosion resistant. Features rubberized grip T-handle and 10" pneumatic wheels.

PART#	TRAILER BALL	TONGUE WEIGHT CAPACITY
11795	1-7/8"	600 Lbs





# Trailer and Towing

Pintle Mounts • Hitch Adapters • Bumper Receivers

1.877.453.3964

1.877.453.5050

www.dynaline.com

orders@dynaline.com



Trailer and Towing

## Pintle Mounts

For 2" receivers. Converts receivers for use with pintle type trailers quickly and easily. Provides mounting for both ball and pintle hooks. Black powder coat finish.




PART#	DESCRIPTION	TW (LB)	GTW (LB)	# OF HOLES	POSITION (PAIRS)
<b>11610</b>	7-3/8" x 5"	2,800 lb	14,000 lb	8	4th
<b>11630</b>	12-1/2" x 5"	2,000 lb	10,000 lb	14	7th



## Dual Hitch Extension

Fits 2" receivers.

PART#	FINISH	TW (LB)	GTW (LB)	LENGTH (A)	HEIGHT (B)
<b>11780</b>	Black	400 lb	4,000 lb	12-1/4"	6-1/4"



## Step Bumper Receiver

Fits 2" receivers.


PART#	FINISH	TW (LB)	GTW (LB)
<b>11782</b>	Black	500 lb	5,000 lb



## Hitch Box Extension

Service step. 2" extension only.

PART#	DESCRIPTION	TW (LB)	GTW (LB)
<b>11784</b>	14" x 7" stepping area	400 lb	4,000 lb




## Reducer Sleeve Set

Reduces a 3" receiver tube to accept 2-1/2" or 2" shanks. 5/8" hitch pin hole size.

PART#	DESCRIPTION
-------	-------------

**11790** 3" to 2-1/2" or 2" Black powder coated finish. Carbon steel construction.




Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.

### Receiver Tubes


Powder coated black finish. Welded. Fits 2" receivers.

PART#	LENGTH
11770	6"
11771	12"
11772	18"
11773	24"




### Hitch Adapters

Ideal for cargo carriers and bike carriers. Black powder coated finish. **Not to be used for towing.**



PART#	DESCRIPTION
11785	Decrease receiver opening from 2-1/2" to 2", 5/8" pin, 5" in length.
11786	Decrease receiver opening from 2" to 1-1/4", 5/8" pin hole, 3-1/2" length.
11787	Increase receiver opening from 1-1/4" to 2", GTW 3500 lb
11788	Decrease receiver opening from 2" to 1-1/4", GTW 3500 lb
11789	8-1/2" Length, fits 2" receivers.



11785

### RV Bumper Receiver Adapter 2"

Heavy duty adapter for 4x4 RV Bumper.

PART#	DESCRIPTION	TONGUE CAPACITY
11778	Black Power Coated Finish. Accepts 2" cargo carrier tube.	200lbs

- This travel trailer accessories fits 4"- 4" square bumpers (can be mounted upside or down bumper beams )
- For mount 2" shank of bike racks, RV tire carriers, cargo carriers or other accessories, The bumper receiver allows 200 lb tongue weight capacity
- Made of solid steel construction with durable black powder coated finish
- The bumper adapter takes 4 bolts and secures tightly around the travel trailer bumper



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice





Trailer and Towing



11618

### Pintle Hooks

Solid forged steel construction. Black enamel painted finish. 4-1/4" x 3-1/4" base plate. All bolts are made from heat treated alloy steel.

PART#	CAPACITY	TW (LB)	GTW (LB)
 <b>11618</b>	5 Tons	2,000 lb	10,000 lb
 <b>11620</b>	10 Tons	4,000 lb	20,000 lb
 <b>11619</b>	15 Tons	6,000 lb	30,000 lb
 <b>11621</b>	20 Tons	9,000 lb	40,000 lb
<b>11622</b>	30 Tons	14,000 lb	60,000 lb



11718

### Pintle Hooks - Solid Shank

Fits 2" receivers.

PART#	TW (LB)	HOOK CAP. (LB)
<b>11718</b>	2,000 lb	10,000 lb
<b>11719</b>	2,000 lb	20,000 lb
<b>11720</b>	2,000 lb	30,000 lb






### Combination Pintle Hooks - Class 5

PART#	BALL SIZE	BALL CAP.(LB)	TW (LB)	GTW (LB)	REPLACEMENT BALL PART #'S
 <b>11616</b>	2"	7,000 lb	3,000 lb	16,000 lb	<b>11632</b>
 <b>11617</b>	2-5/16"	14,000 lb	3,000 lb	16,000 lb	<b>11633</b>



### Combination Pintle Hooks Class 5 - 1 Piece, Solid Shank

Solid steel construction. Comes with lock pin on chain and 2" trailer ball. Fits 2" receivers.

PART#	BALL SIZE	BALL CAP.(LB)	TW (LB)	GTW (LB)	SHANK	REPLACEMENT BALL PART #'S
 <b>11715</b>	1-7/8"	2,000 lb	1,200 lb	12,000 lb	2"	<b>11631</b>
 <b>11716</b>	2"	7,000 lb	1,200 lb	12,000 lb	2"	<b>11632</b>
 <b>11717</b>	2-5/16"	12,000 lb	1,200 lb	12,000 lb	2"	<b>11633</b>



### 4-Hole Mounting Lunette Ring

Forged steel with black powder coated finish.

PART#	DESCRIPTION	TOW RATING
<b>11636</b>	2-1/2" diameter ring with square 6" base plate, 5/8" diameter mounting holes, 4,000 lb. vertical load.	42,000 lb





**Mount Fixed Lunette Ring**

Forged steel with black powder coated finish.

PART#	DESCRIPTION	TOW RATING
11634	2-1/2" ring diameter, 3-1/4" shank length, 1-1/2" shank diameter	15,000 lb



**Adjustable 3-Position Lunette Ring**

Forged steel with black powder coated finish.

PART#	DESCRIPTION	TOW RATING
11635	Forged ring 6" outside diameter, 2-3/4" inside diameter, 4-3/8" outside bracket width, 3-5/8" inside bracket width, 1,800 lb. vertical load.	12,000 lb



**Plastic Document Holders**

Molded from high density polypropylene, weather and impact resistant. Protects documents from damage. Mounts onto machines for easy access. O-Ring sealed. Screw top lid.


PART#	DESCRIPTION
17710	Plastic Holder 2-1/4" diameter x 12-1/2" long
17720	Plastic Holder 2" diameter x 12-1/2" long
17730	Plastic Holder 3-1/4" diameter x 14" long
17731	Tether for plastic holder 17720 and 17730



**Aluminum Document Holder**

Made from corrosion resistant aluminum. Protects documents from the elements.

PART#	DESCRIPTION
17740	1.5" inside diameter x 9" long
17740-1	Rubber cap replacement for 17740



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice





Trailer and Towing



### 2 Way Flat Connector

PART#	DESCRIPTION
27002	2-pole flat connectors. 12" 18 ga. white & yellow wires.




27004



27006




27008



### 4 Pole Flat Connectors

PART#	DESCRIPTION
27004	4-pole flat wiring harness. 18 ga wire - 12" male, 48" female, 18" ground.
27006	4-pole flat wiring harness. 12" 18 ga wire.
27008	4-way flat wiring harness. 25" 3-wire bonded loop with ground wire. 18 ft male end, 5 ft female end. 5 ft brown extension wire included.




### 4 Pole Flat Loop Trailer Connector - Heavy Duty

PART#	DESCRIPTION
27010	4-pole flat loop. Heavy duty. 48" 18 ga. wires.




### 4 Pole Round Plug & Socket

PART#	DESCRIPTION
27015	Die cast, chrome plated housing. Trailer and Vehicle side.



### 5 Pole Flat Connectors

PART#	DESCRIPTION
27020	Male connector plug. Comes with 48" of 18 gauge wire.
27022	Female connector socket. Comes with 48" of 18 gauge wire.



### 5 Pole Flat Connector- Heavy Duty

PART#	DESCRIPTION
27024	5-pole heavy duty connector loop. 48" 18 ga. wires.



### 6 Way Round Plug & Socket

PART#	DESCRIPTION
27030	6-way round plug & socket. Heavy duty die cast housing.
27034	6-pole round socket with cover, with heavy duty die cast housing, vehicle side.
27036	6-pole round plug. Heavy duty die cast housing, trailer side.


Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.

### Mounting Bracket For 7 Way Trailer Connectors

PART#	DESCRIPTION
 27040	Zinc plated.




### 7 Way Socket

PART#	DESCRIPTION
 27042	7-way blade socket with cover. Zinc plated metal housing. Vehicle side.




### 7 Way Blade Plug

PART#	DESCRIPTION
 27044	7-way blade blade plug. Zinc plated metal housing. Trailer side.




### 7 Way Plug And Socket

PART#	DESCRIPTION
 27046	7-way blade. With cover, ABS housing with red reflector. Trailer and vehicle side.




### 7 Way Socket

PART#	DESCRIPTION
 27048	7-way blade socket. Plastic housing with red reflector. Vehicle side.




### 7 Way Plug

PART#	DESCRIPTION
 27050	7-way blade flat plug. Plastic housing. Trailer side.



### 7 Way Socket / 4-Way Plug Set

PART#	DESCRIPTION
 27052	7-way blade socket with cover. 4-way flat plug & Direct wiring. Vehicle side.



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice







Trailer and Towing



### 7 Way Socket Led & 4-Way Plug With LEDs

PART#	DESCRIPTION
27054	7-way pre-wired blade socket with cover. 4-way flat plug. 6 LED indicator. Vehicle side.
27056	27054 plus Mounting Kit.



### 7 Way Plug - Heavy Duty

PART#	DESCRIPTION
27060	7-pole round plug. Heavy duty die cast housing. Trailer side.



### 7 Way Socket - Heavy Duty

PART#	DESCRIPTION
27062	7 pole round socket with cover. Vehicle side.



### 7 Way Plug

PART#	DESCRIPTION
27064	7-pole round plug. Nylon with fiberglass housing. Trailer side.



### 7 Way Socket

PART#	DESCRIPTION
27066	7-pole round socket with cover. Nylon with fiberglass housing. Vehicle side.



### 7 Way Socket - Heavy Duty

PART#	DESCRIPTION
27068	7-pole round heavy duty socket. 3 hole mounting.




### 6 Way Socket, 4 Way Plug With LEDs (Adapter)

PART#	DESCRIPTION
27075	#27070 Plus mounting kit.









Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.




### 4 Way In-Line Adapter

PART#	DESCRIPTION
 27076	Trailer Connector Set, 4-way in-line adapter with cover.




### Trailer Connector Adapters

PART#	DESCRIPTION
 27078	6-way round to 4-way flat.
 27080	7-pole round to 4-way flat.
 27082	7-way blade to 6-way round. Center pin auxiliary.
 27084	7-way blade to 4-way flat.
 27086	7-way blade plug to 6-way round socket, 5-way flat, and 4-way flat.
 27088	7-pole blade plug to 7-pole round socket. Heavy duty.




### 4 Way Flat Connector (Adapter)

PART#	DESCRIPTION	CONTENT
 27090	Tail Light Adapter. 4 way 3 amp flat connector with cover.	Supplied with 18 gauge bonded wiring.





### 4 Way Flat Tester With LEDs

PART#	DESCRIPTION
 27092	4-way flat tester with 3 LEDs indicator and ring.




### 4 Way And 5 Way Flat Tester With LEDs

PART#	DESCRIPTION
 27093	4-way and 5-way flat tester with 4 LEDs indicator and cover.




### 7 Way Blade Tester With LEDs

PART#	DESCRIPTION
 27096	7-way blade tester with 6 LEDs indicator.



### Breakaway Switch With Lanyard

PART#	DESCRIPTION
 27098	With 4 ft. of 16 gauge wire. Metal bracket included.



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.





Trailer and Towing



### Power Jack

- 4000 lb Lifting Power!
- Tracks 10" in 60 seconds
- 12 volt DC powered with manual crank over-ride
- Allows quick break-away from coupler
- Water resistant enclosed motor
- Low noise level during operation
- Fits 2-1/4" mounting holes
- 25" total travel! (8" drop leg, 17" travel)
- 9-3/4" bracket height
- Durable black powder coated finish
- Hardened steel gears
- LED light, easy night time hookups
- Oversize 5-1/2" diameter foot pad
- Weather sealed switch
- Built-in level
- Black plastic cover
- Power cord length: 6' of #10 gauge wire
- 5 yr manufacturer warranty

PART#	VERTICAL LOAD	TRAVEL	DROP LEG	TOTAL TRAVEL	EXTENDED HEIGHT
52700	4,000 lb	17"	8"	25"	34-3/4"

All specifications for jacks are in accordance with the ASABE S 485 standards



### "Swing-Way" Jacks with Caster Wheels

- Zinc plated finish
- Perfect for use on tow trailers of various coupler heights.
- Heavy duty swivel mechanism swings and locks jack to transport position.
- Pull-type locking pin secures jack into load-bearing position.
- Supplied with bolt reinforced castor and mounting bracket.
- Fits tongues up to 3" x 5".

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	CASTER WHEEL	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT	COLOUR BOX
11466	1,600 lb	1,200 lb	6"	10"	12-3/4"	23-1/4"	33-1/4"	Yes
11477	2,000 lb	1,500 lb	8"	10"	12-3/4"	25-1/2"	35-1/2"	No

All specifications for jacks are in accordance with the ASABE S 485 standards

PART#	DESCRIPTION
11466-2	Replacement Wheel for 11466
11477-2	Replacement Wheel for 11477



11466-2



11477-2

Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.



### Top Wind with Wheel

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	CASTER WHEEL	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT	HANDLE
<b>11463</b>	2,000 lb	1,200 lb	6"	15"	8-1/2"	20"	35"	Knob
<b>No Caster</b>	6,000 lb	5,000 lb	-	-	-	-	-	-



### Side Wind with Wheel

Non-removable handle

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	CASTER WHEEL	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11467</b>	2,000 lb	1,200 lb	6"	15"	9-1/2"	23-1/2"	38-1/2"
<b>No Caster</b>	2,800 lb	2,000 lb	-	-	-	-	-



### Top Wind without Base or Wheel

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11492</b>	6,000 lb	5,000 lb	15"	8-1/2"	20"	35"
<b>11493</b>	6,000 lb	5,000 lb	15"	10"	21"	36"
<b>11492-1</b>	Base for 11492, 11493 and 11484 (4" x 7.5")					



### Side Wind without Wheel

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11484</b>	2,800 lb	2,000 lb	15"	9"	24"	39"



Trailer and Towing



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.



Trailer and Towing



### Round Tube Mount Jacks, Top Wind

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position external mounting tube, lock-pin and handle. Black enamel painted finish. Comes in **Color box**.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT	PKG TYPE
11468	6,500 lb	5,000 lb	10"	10"	Pipe	15"	25"	Colorbox
11469	6,500 lb	5,000 lb	15"	15"	Pipe	20-1/4"	35-1/4"	Colorbox



### Round Tube Swivel Bracket Mount Jacks, Top Wind

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position mounting tube, lock-pin and handle. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11470	2,800 lb	2,000 lb	10"	8-1/2"	Flange	15"	25"
11471	2,800 lb	2,000 lb	15"	13-1/4"	Flange	20"	35"



### Side Wind, Round Tube Mount (7-1/2" x 4" Base Plate)

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position external mounting tube, lock-pin and handle. Black enamel painted finish. Comes in **Color box**.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT	PKG TYPE
11472	6,500 lb.	5,000 lb	15"	14"	Pipe	22"	37"	Colorbox
11473	6,500 lb	5,000 lb	10"	9"	Pipe	16-1/2"	26-1/2"	Colorbox



### Side Wind, Round Tube Mount (8" x 6" Base Plate)

Robust internal gear mechanism and heavy duty rolled threads for smooth operation and dependability. 4-position external mounting tube, lock-pin and handle. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
11474	8,400 lb	7,000 lb	10"	9"	Pipe	17"	27"
11475	8,400 lb	7,000 lb	15"	14-1/4"	Pipe	22-1/2"	37-1/2"
11479	6,500 lb	5,000 lb	15"	15"	Pipe	22-1/2"	37-1/2"

Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.

**Top Wind, Square Tube Mount**

Robust internal gear mechanism & heavy duty rolled threads for smooth operation. Equipped with removable cover, grease fittings, 4-position external mounting tube and lock-pin. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11520</b>	2,800 lb	2,000 lb	10"	10"	Pipe	19"	29"
<b>11525</b>	2,800 lb	2,000 lb	15"	10"	Pipe	23"	38"
<b>11535</b>	6,000 lb	5,000 lb	15"	15-3/4"	Pipe	22"	37"



11520

**Side Wind, Square Tube Mount**

Robust internal gear mechanism & heavy duty rolled threads for smooth operation. Equipped with grease fittings, 4-position mounting tube and lock-pin. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	LIFT	BRACKET HEIGHT	BRACKET TYPE	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11510</b>	2,800 lb	2,000 lb	10"	9"	Pipe	19-1/2"	29-1/2"
<b>11515</b>	2,800 lb	2,000 lb	15"	15"	Pipe	23-1/2"	38-1/2"
<b>11540</b>	6,500 lb	6,000 lb	10"	9"	Pipe	17"	27"



11510

**Square Tube Trailer Jack**

Robust 2-1/2" square tube. Drop leg adjusts 13" in addition to lift. Features grease fitting for lubrication of mechanism. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	TYPE	LIFT	TOTAL TRAVEL	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11545</b>	6,500 lb	6,000 lb	Side Wind	16"+13"	31"	24-1/2"	53-1/2"



11545

**Square Tube "Drop Legs" Jack**

Robust 2-1/2" square tube "weld-on" construction. Drop leg adjusts 13" in addition to lift. Features grease fitting for lubrication of mechanism. Black enamel painted finish.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	TYPE	LIFT	TOTAL TRAVEL	RETRACTED HEIGHT	EXTENDED HEIGHT
<b>11487</b>	8,000 lb	7,000 lb	Top Wind	15" + 13"	28"	22"	50"
<b>11488</b>	8,000 lb	7,000 lb	Side Wind	15" + 13"	28"	24-1/2"	52-1/2"



11487



Trailer and Towing



Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice





Trailer and Towing



## Square Tube "Drop Legs" Jacks - Heavy Duty

Heavy duty 4" square tube "weld-on" construction. Drop leg has 5 position holes and adjusts 13" in addition to lift. Features grease fittings for lubrication of mechanism. Black finish. 12-1/2" lift.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY	TYPE	TOTAL TRAVEL	DROP LEG PIN LOCATION	RETRACTED HEIGHT	EXTENDED HEIGHT
11490	12,000 lb	10,000 lb	Single Speed	25-1/2"	Side	28-1/2"	54"



## Levelling Scissor Jacks

Used for stabilizing and levelling 5th wheels and travel trailers. Sturdy steel construction. Designed for today's larger and heavier units. Black finish. Permanently mounted and conveniently concealed when not in use. Easy to install. Comes with wrench.

PART#	SUPPORT CAPACITY	MAXIMUM LIFT CAPACITY
11891	5,000 lb	4" to 24"



## Scissor Jack Drill Adapter

Reduces time and effort to raise or lower scissor jacks

PART#	FINISH	FIT
11892	Zinc Plated Finish	3/8" - 1/2"



## Jack Replacement Parts And Accessories

PART#	DESCRIPTION
11450	Side Wind Handle for 11484/11467
11451	Side Wind Handle for 11510/11515
11452	Side Wind Handle for 11472/11473/11479
11505	Side Wind Handle for 11475/11474/11488/11545/11540
11491	Side Wind Jack Handle for 11490 Jack
11509	Bushing for Jack Handle Side Wind
11454	Quick Release Pin for Jacks 9/16 dia. X 2-1/2 usable length. For 11510/11515/11520/11525
11455	Quick Release Pin for Jacks 5/8 di. X 3-1/4 usable length. For 11545/535/540/468/469/472/473/474/475/479
11500	Mounting Tube External - Large
11501	Mounting Tube Internal - Small
11513	Weld-On Mounting Bracket
11502	Top Wind Jacks Handle (Except 11487)
11487-1	Top Wind Jacks Handle for 11487
11466-2	Wheel Replacement 6" for 11466 Jack
11477-2	Wheel Replacement 8" for 11477 Jack
11477-1	Plastic Cap for 11477 & 11466 Swing-Way Jacks
11492-1	Small Jack Base 4" x 7-1/2" for 11492, 11493 & 11484
11891-1	Replacement Handle for 11891
11545-1	Square Quick Pin For 11545 Base



Pictures are not scale. Sizes are approximate. Specifications subject to change without notice.

### HD Polyfoam Wheel Chock



This wheel chock is made of structural polyurethane foam. It is stronger, more durable, extremely light weight, odourless and resistant to oil and chemicals. It is bright orange in color for increased visibility. Strong, durable and lightweight. Featuring a molded carry handle for easy carrying and positioning.



PART#	SIZE
 11987	9-3/8" x 8" x 5-1/2"

### Wheel Chocks

Rubber wheel chock for trailers, cars or other small vehicles. Non-slip surface provides superior traction.

PART#	SIZE
 11984	8" x 6" x 4"
 11985	10-5/8" x 7" x 4-1/2"



### Wheel Chocks


Made from rubber compound with reinforced nylon fiber. Ideal for trailers and heavy loaded vehicles. Eyebolt for easy handling. To be used for vehicles under 20T.

PART#	SIZE
 11986	8" x 6" x 10"



### Wheel Chocks

Yellow plastic wheel chock. Comes packaged in colour box. 2 wheel chocks per box.

PART#	SIZE
 11988	8" x 5" x 4-1/4"



### Mud Flaps

Sold separately. Each made of heavy rubber.

PART#	SIZE	THICKNESS	MOUNTING HEAD
11981	24" x 24"	1/4"	5/16"
11982	24" x 30"	1/4"	5/16"
11991	24" x 24"	3/8"	7/16"
11992	24" x 30"	7/16"	7/16"
11993	24" x 36"	7/16"	7/16"



*Pictures are not to scale. Sizes are approximate. Specifications subject to change without notice.*

